New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 State of New Jersey Residents

		Adult/Adolescent	*	Pediatr			Tota	al
1.	Current HIV/AIDS Category	Cases %		Cases	%		ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	5952 19 11008 34 15071 47		101 0 269	27 0 73	1	6053 1008 5340	19 34 47
	Total	32031 100		370	100		2401	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/A Cases	% Ca	ediatric* uses %	Tota Cases	al %
	<pre><5</pre>	White, Not Hi Black, Not Hi Hispanic Other/Unknown	spanic spanic	7083 17651 6732 565	22 55 2 21 2	43 12 261 71 60 16 6 2	7126	22 55 21
	40-49 13911 43 50+ 8156 25 Unk. 0 0	Total		32031 1	100 3	370 100	32401	100
	Total 32401 100							
4.	Patient Group	Males	용		Temales	용	Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	 603 666 87 231 467	5 29 1 32 5 4 4 11 3 23		0 3605 0 4394 3134	0 32 0 39 28	603 1026 87 670 780	35 19 56 32 75 3 98 21 97 25
	Total	2055			11133		3169	
		Males	_	diatric I F	Transmis Temales		les Tota	al %
	Parent at risk/has AIDS/HIV Risk not reported/other***	 33 1	0 95 9 5		340 21	94 6	4	70 94 10 6
	Total	34		_	361		71	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** 340 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 State of New Jersey Residents

Adult/Adolescent*

1. Disease C	ategory	Case	es (%)				Death	s (%)	Cases		Death	s (%)
KS Alone No Diseas	e Listed	142 6 180	78 (39)	10874 (77)	0 (31) 69) 0) #)	302 0	(.)	13194 (14729 (662 (18079 (28) 32) 1) 39)	11176 527	(80)
Total			911 (100)	29113 (63)	753 (490	(65)	46664 (29603	(63)
2. Age *	Cases	90		/Eth.	Adult/Adl			ic* %		96		
5-12 13-19 20-29 30-39 40-49 Over 49	196 226 6223 20675 13519 5268	0 13 44 29 11	White Black Hispa Othe:	e, Not Hispanic k, Not Hispanic anic c/Unknown	12075 2 25802 5 7740 1	6 6 7 1	119 489 140 5	16 65	12194 26291 7880 299 46664	56 17 1 		
Unknown Total	0 46664											

Pediatric*

Total

4.	Patient Group	Adult/Adolescent Transmission Modes **										
		Males	용	Females	용	Total	용					
	Men sex with men (MSM)	9293	28	0	0	9293	20					
	Injection drug user (IDU)	14721	45	5969	46	20690	45					
	MSM/IDU	1696	5	0	0	1696	4					
	Heterosexual contact	2476	8	4606	35	7082	15					
	Risk not reported/other***	4613	14	2488	19	7101	15					
	Total	32799	100	13063	100	45862	100					

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	376	91	374	96	750	94
Risk not reported/other***	36	9	16	4	52	6
Total	412	100	390	100	802	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 49} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 State of New Jersey Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	651	629	97%
1985	800	766	96%
1986	1273	1187	93%
1987	1826	1738	95%
1988	2001	1882	94%
1989	2573	2329	91%
1990	2619	2329	89%
1991	2848	2547	89%
1992	3565	2981	84%
1993	5048	3767	75%
1994	4077	2697	66%
1995	3814	2067	54%
1996	3211	1371	43%
1997	2471	979	40%
1998	1780	631	35%
1999	1839	562	31%
2000	1748	436	25%
2001	1569	355	23%
2002	1412	225	16%
2003	1157	116	10%
2004	382	9	2%
Total	46664	29603	63%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 State of New Jersey Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	Race/Ethnicity	Cases	용	Cases	%	Cases	용
Under 5	354	2	White, Not Hispanic	3562	21	54	13	3616	21
5-12	69	0	Black, Not Hispanic	9743	57	286	68	10029	57
13-19	393	2	Hispanic	3401	20	75	18	3476	20
20-29	4021	23	Other/Unknown	426	2	8	2	434	2
30-39	7056	40							
40-49	4150	24	Total	17132	100	423	100	17555	100
Over 49	1512	9							
Unknown	0	0							
Total	17555	100							

Patient Group	Ad	ult/Adole	escent Transm	ission M	Iodes **	
	Males	양	Females	양	Total	િ
Men sex with men (MSM)	2857	27	0	0	2857	17
Injection drug user (IDU)	3551	33	2118	33	5669	33
MSM/IDU	400	4	0	0	400	2
Heterosexual contact	1145	11	2377	37	3522	21
Risk not reported/other***	2716	25	1968	30	4684	27
Total	10669	100	6463	100	17132	100
		Pedia	tric Transmis	sion Mod	les	
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	195	96	203	9 2	398	94
Risk not reported/other***	8	4	17	8	25	6
Total	203	100	220	100	423	100

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 State of New Jersey Residents

1.	Current HIV	J/AIDS Ca	ategory				escent *	Pe Cas		iatr s	ic *		Cas	Total es	L %	
	AIDS-Any Of AIDS-CD4 On HIV Only	I nly			27817 18044 17132	- 7 1 2	29		76 3	6 7	62 3 35		180	83	28 27	
	Total				62993		100			- 6				19	100	
2.	Age *			3.				Cases		%		ses	%		Cases	tal %
	Under 5 5-12 13-19 20-29 30-39		2 0 1 19		White, Black, Hispani Other/U	Not Not C Jnkn	Hispanic Hispanic own	3551	7 5 1 0	25 56 18 1		805 225 13	15		15810 36320 11356 733	25 57 18 1
	40-49 Over 49 Unknown	15911	25 10 0		Total			62993							64219	
	Total	64219	100													
4.	Patient Gro	oup					Ad									
	Men sex with Injection of MSM/IDU Heterosexual Risk not re	th men (M drug user al contac eported/c	MSM) c (IDU) ct other***				12150 18272 2096 3621 7329	28 42 5 8 17		_	8087 0 6983 4456	 0 41 0 36 23		26359 2096 10604 11785	19 9 42 5 3 1 17 5 19	
	Total						43468				 19526			62994		
							Males	%	tr	F	emales	용	Modes	Total		
	Parent at n	risk/has eported/d	AIDS/HI				571 44	93 7			577 33	95 5			3 94 7 6	

615 100

610 100

1225 100

NOTE: Includes only those persons known to be infected with HIV.

Total

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of first HIV+/AIDS diagnosis.

^{** 1} patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 State of New Jersey Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	756	688	91%
1985	1098	984	90%
1986	1736	1492	86%
1987	2509	2192	87%
1988	2927	2489	85%
1989	3850	3112	81%
1990	4316	3238	75%
1991	4524	3264	72%
1992	6599	3555	54%
1993	5778	2983	52%
1994	4935	2290	46%
1995	4283	1642	38%
1996	3647	1063	29%
1997	3164	775	24%
1998	2518	580	23%
1999	2439	511	21%
2000	2727	382	14%
2001	2213	287	13%
2002	2064	190	9%
2003	1672	90	5%
2004	464	11	2%
Total	64219	31818	50%